General

This form may be used by facilities that operate chromium electroplating and chromium anodizing operations (affected sources) to comply with the notification of compliance status requirements in 6.8.5 of Regulation 1138. The use of this form is optional. However, other means of notification must contain the information required under 6.8.5.2 of Regulation 1138.

Required Submittal Date

The owner or operator shall submit a notification of compliance status to the Department (with copy to the U.S Environmental Protection Agency) by the following dates.

- If an existing, new, or reconstructed affected source is required to conduct a performance test under 6.4.2.1 of Regulation 1138, the notification of compliance status shall be submitted no later than 90 days following the completion of the performance test.
- If an existing affected source is required to conduct a performance test, but the Department approved the use the results of a previous performance test under 6.5.2.1, the notification of compliance status shall be submitted no later than 30 days following the source's compliance date of September 19, 2014.
- If the source is exempted from the need to conduct a performance test under 6.4.2.2 or 6.4.2.3 of Regulation 1138, the notification of compliance status shall be submitted no later than 30 days following the source's compliance date.
 - The compliance date for existing affected sources is September 19, 2014.
 - The compliance date for new or reconstructed affected sources is the initial startup date or [the new Section 6 effective date], whichever is later.

The addresses for this submittal are provided below and in Item 17 of the "Notification of Compliance Status" form.

Items 1

Provide the name of the affected chromium electroplating and chromium anodizing operation.

Items 2

Provide the physical location of the affected chromium electroplating and chromium anodizing operation.

Items 3

Provide the name of the owner or operator of the affected chromium electroplating and chromium anodizing operation identified in Items 1 and 2.

(Continued)

Item 4

Identify the types of chromium electroplating and/or chromium anodizing operations that are performed at the facility by checking (X) the applicable boxes provided.

Item 5

Identify the size (small vs. large) of the hard chromium electroplating facility by checking (X) the applicable box provided. The emission limitations for hard chromium electroplating facilities are less stringent for small facilities, if the affected source had an initial startup on or before December 16, 1993.

"Large, hard chromium electroplating facility" means a facility that performs hard chromium electroplating and has a maximum cumulative potential rectifier capacity greater than or equal to 60 million ampere-hours per year (amp-hr/yr).

"Small, hard chromium electroplating facility" means a facility that performs hard chromium electroplating and has a maximum cumulative potential rectifier capacity less than 60 million amp-hr/yr.

"Maximum cumulative potential rectifier capacity" means the summation of the total installed rectifier capacity associated with the hard chromium electroplating tanks at a facility, expressed in amperes, multiplied by the maximum potential operating schedule of 8,400 hours per year and 0.7, which assumes that electrodes are energized 70% of the total operating time. The maximum potential operating schedule is based on operating 24 hours per day, seven days per week, and 50 weeks per year.

Item 6

Identify the affected chromium electroplating and/or anodizing tanks at the facility. The identification include the type of service the tank is in (i.e. hard or decorative electroplating, etc.) and the type of control technique(s) employed to comply with the emission limitation.

<u>Type of electroplating or anodizing services</u>						
Cr - OT	Hard chromium electroplating in an open top tank					
Cr – ET	Hard chromium electroplating in an enclosed tank					
OCr+6	Decorative chromium electroplating using a chromic acid bath					
OCr+3	Decorative chromium electroplating using a trivalent chromium bath					
CrA	Chromium anodizing tank					
	Cr – ET OCr+6 OCr+3					

Item 7

Identify each of the chromium emission points at the facility. This identification includes identifying each affected tank that is connected to that emission point and identifying the emission limitation associated with the emission point. The emission limitation could vary for the emission points as follows.

- 1. If only one affected tank (and no unaffected tanks) is connected to the emission point, the emission limitation would depend on . . .
 - Whether the affected tank is a new or existing source;
 - The type of service that the tank is in (i.e. hard or decorative electroplating; anodizing);
 - If hard electroplating, whether the tank had its initial startup on or before 12/16/93;
 - If hard electroplating with an enclosed tank, whether the owner or operator elected to comply under a emission limitation (mg/dscm) or a maximum allowable mass emission rate (mg/hr).

(Continued)

Item 7 - Continued

- 2. If multiple tanks are connected, the emission limitation would be defined as the maximum allowable mass emission rate (mg/hr) under 6.5.5 of this regulation.
- 3. If the emissions are controlled by the addition of a fume suppressant, the emission limitation would be defined by the maximum allowable surface tension (dynes/cm). The maximum allowable surface tension value will depend on which type of the surface tension measuring system is used; a tensiometer or a stalagmometer.

Item 8

Provide a brief description of the air pollution control technology used for each emission point. In addition, identify the operating parameter(s) (i.e. pressure drop across the device, etc.) and the operating value (4.0 inches of water) or range of values (3.0 to 6.0 inches of water) determined during the performance testing that defines compliant operation.

Item 9

If the owner or operator is using the prescribed methods in Section 6 of Regulation 1138 to determine continuous compliance (i.e. monitoring), indicate so by checking (X) the "YES" box, then skip the rest of Item 9.

If the owner or operator is using alternative methods that were approved by the EPA Administrator or the Department to determine continuous compliance, indicate such by checking (X) the "NO" box; then provide the requested information for each emission point where the alternative methods are used.

<u>Item 10</u>

Indicate by checking (X) the applicable box, when the owner or operator last performed a performance test on the affected tank(s) or whether the affected tank(s) are exempt from the performance testing requirement in accordance with 6.4.2.2 or 6.4.2.3 of Regulation 1138.

Item 11

If the owner or operator is required to conduct a performance test to demonstrate initial compliance, the owner or operator may be able to use the results of a previous performance test in accordance with 6.5.2.1 of Regulation 1138.

If the owner or operator checked "Yes" in Item 10 and the affected tank(s) are subject to performance testing requirement, the owner or operator must answer the questions in Item 11 by checking (X) the appropriate response box for each question.

(Continued)

<u>Item 12</u>

Indicate whether the facility has incorporated the housekeeping procedures in Table 6-2 of Regulation 1138 into the operation and maintenance (O&M) plan and has the completed O&M plan available, by checking (X) the appropriate box.

<u>Item 13</u>

The owner or operator shall certify by checking (X) the box that the source has complied with all applicable requirements of Section 6 of Regulation 1138. If the owner or operator certified (e.g. checked the box) that the source has complied with all applicable requirements of Section 16, the owner or operator can skip Item 16 on Page 5.

If the owner or operator is unable to certify that the source has complied with all applicable requirements at the time the notification of compliance status must be submitted, the owner or operator would not check the box in Item 13. Instead, the owner or operator would complete Item 16 on Page 5 of the "Notification of Compliance Status" form and include Page 5 in the submittal.

<u>Item 14</u>

A responsible person, as defined in 3.2 of Regulation 1138, must certify that the statements and information contained in the notification of compliance status are true, accurate, and complete. The responsible person must also sign the "Notification of Compliance Status" form and provide the information requested.

Item 15

Attach the following with the "Notification of Compliance Status" form submittal:

- The performance test results, if a performance test was required to demonstrate initial compliance,
- The records that demonstrate that the facility is "small" hard chromium electroplating facility, refer to Item 5 above, and/or
- The measurements and calculations that demonstrate the compliance determination required under 6.5.5.5 of Regulation 1138, if the owner or operator uses the special compliance provisions in 6.5.5 of Regulation 1138.

Item 16

If the affected chromium electroplating and chromium anodizing operations are not in compliance with the applicable requirements of Section 6 of Regulation 1138 at the time of submitting the notification of compliance status, the owner or operator must provide a complete explanation of the noncompliance, the corrective actions being undertaken to bring the chromium electroplating and chromium anodizing operations into compliance, and the expected date that compliance will be demonstrated. Space for this information is provided in Item 16 on page 5 of the form. The owner or operator should use and attach additional paper, if additional space is needed.


(Continued)

<u>Item 17</u>

The owner or operator must submit the completed "Notification of Compliance Status" form to the Department of Natural Resources and Environmental Control (with a copy to the U.S. Environmental Protection Agency) at the addresses provided below and in Item 17 of the form. The owner or operator should keep a copy of the completed form.

Submit the Notification of Compliance Status to the following addresses

Delaware Department of Natural Resources and Environmental Control Director of Air Quality Blue Hen Corporate Center 655 S. Bay Road Suite 5N Dover, DE 19901 U. S. Environmental Protection Agency Director, Air Protection Division 1650 Arch Street Philadelphia, PA 19103



Regulation 1138 – Section 6

Emission Standards for Chromium Emissions from Hard and Decorative Chromium Electroplating and Chromium Anodizing Tanks

				•	0				
Subr	sub not	omitted no l t required to	ater than 90 conduct add	days followi litional perfo	ng the compormance test,	letion of the j the notificat	test, the notification performance test. F ion of compliance s apage 1 of 5 of the	or affected source tatus must be su	ces that are
[1]	Name of the	facility:							
[2]	Physical loca	tion – Stree	et Address:						
		City, State,	Zip Code:						1
[3]	Name of Own	ner or Ope	rator:						
[4]	Identify the tapplicable bo			troplating a	nd anodizin	g operations	performed at the	facility by chec	king (X) ALL
	Hard Cr ⁺⁶ E	lectroplatin	ng in Open T	ank (HCr - 0	OT)	Hard C	r ⁺⁶ Electroplating ir	Enclosed Tank	(HCr - ET)
	Decorative	Cr ⁺⁶ Electro	oplating (DC	r+6)	Decorati	ve Cr ⁺³ Elect	roplating (DCr+3)	Cr ⁺⁶ A	nodizing (CrA)
[5]	1993, identify If the desi	the size of La	f the hard ch ARGE Hard a small facili	nromium ele Cr ⁺⁶ Electro ity is based (ectroplating plating on actual cun	operation by	and an initial starts of the checking (X) the SMALL Hard Cr ⁺⁶ ier capacity, the own ance status, in accordance status, in accordan	applicable box Electroplating oner or operator	below.
[6]	Identify the a	iffected chr	romium elec	troploting o	nd anodizir	a tanks in se	ervice		
F - 3		incered em	omium cicc	iropianing a	inu anouizn	ig taliks ill st	i vicc.		
	Affected Tanks	Identity	of the opera checking (X HCr - ET	ntions perfo	rmed in eac	h affected	Identify the con	d tank by check able column(s) Fume	ing (X) the
	Affected	Identity tank by	of the opera checking (X	ations perfo	rmed in eac able column	h affected n(s) below	Identify the con each affecte applica Add-on Control	d tank by check able column(s)	king (X) the below Combination
	Affected Tanks	Identity tank by	of the opera checking (X	ations perfo	rmed in eac able column	h affected n(s) below	Identify the con each affecte applica Add-on Control	d tank by check able column(s) Fume	ting (X) the below Combination
	Affected Tanks	Identity tank by	of the opera checking (X	ations perfo	rmed in eac able column	h affected n(s) below	Identify the con each affecte applica Add-on Control	d tank by check able column(s) Fume	ting (X) the below Combination
-,	Affected Tanks Tank # Tank #	Identity tank by	of the opera checking (X	ations perfo	rmed in eac able column	h affected n(s) below	Identify the con each affecte applica Add-on Control	d tank by check able column(s) Fume	ting (X) the below Combination
-,	Affected Tanks Tank # Tank # Tank # Tank #	Identity tank by HCr - OT	of the opera checking (X HCr - ET	ntions perfo the applic DCr+6	rmed in eac able column DCr+3	h affected (s) below CrA	Identify the con each affecte applica Add-on Control	d tank by check able column(s) Fume Suppressant	king (X) the below Combination
-,	Affected Tanks Tank # Tank # Tank # Tank #	Identity tank by HCr - OT Chromium of tanks (that a	of the opera checking (X HCr - ET	ntions performance of the applications performance of the application	prmed in each able column DCr+3	h affected a(s) below CrA ectroplating	Identify the con each affected applicated Add-on Control Device	tank by check able column(s) Fume Suppressant Ey.	cing (X) the below Combination of both point in either (3) maximum
-,	Affected Tanks Tank # Tank # Tank # Tank # Identify the continuous Emission (EP)	Identity tank by HCr - OT Chromium of tanks (that a	of the opera checking (X HCr - ET emission pointify the affect listed in Iter re connected emission pointify	ntions performance of the applications performance of the application	pred in each able column DCr+3	h affected a(s) below CrA ectroplating	Identify the coneach affected applicated Add-on Control Device or anodizing facilition associated with m, (2) mg total check and a sociated with m, (2) mg total check and a sociated with m, (2) mg total check and a sociated with m, (2) mg total check and a sociated with m, (2) mg total check and a sociated with m, (2) mg total check and a sociated with m, (2) mg total check and a sociated with m, (2) mg total check and a sociated with m, (2) mg total check and a sociated with m, (2) mg total check and a sociated with m, (2) mg total check and a sociated with m, (2) mg total check and a sociated with m, (2) mg total check and a sociated with m, (2) mg total check and a sociated with m, (3) mg total check and a sociated with m, (4) mg total check and a sociated with m, (4) mg total check and a sociated with m, (4) mg total check and a sociated with m, (4) mg total check and a sociated with m, (4) mg total check and a sociated with m, (4) mg total check and a sociated with m, (4) mg total check and a sociated with m, (5) mg total check and a sociated with m, (6) mg total check and a sociated with m, (6) mg total check and a sociated with m, (6) mg total check and a sociated with m, (6) mg total check and a sociated with m, (6) mg total check and a sociated with m, (6) mg total check and a sociated with m, (6) mg total check and a sociated with m, (6) mg total check and a sociated with m, (6) mg total check and a sociated with m a s	tank by check able column(s) Fume Suppressant by. n each emission romium/hr, or ever is applicable	cing (X) the below Combination of both point in either (3) maximum
-,	Affected Tanks Tank # Tank # Tank # Identify the c Chromium Emission (EP) Points	Identity tank by HCr - OT Thromium of tanks (that are each	of the opera checking (X HCr - ET	ntions performance of the applications performance of the application	promed in each able column DCr+3	h affected (s) below CrA ectroplating ession limitat romium/dscrowable surfa	Identify the coneach affected applicated Add-on Control Device or anodizing facilities associated with m, (2) mg total characteristics, whicher	tank by check table column(s) Fume Suppressant ty. n each emission romium/hr, or over is applicable	cing (X) the below Combination of both point in either (3) maximum le
-,	Affected Tanks Tank # Tank # Tank # Identify the c Chromium Emission (EP) Points EP #	Identity tank by HCr - OT Identity tanks (that an each of tanks #	of the opera checking (X HCr - ET emission pointify the affect listed in Iter re connected emission pointify	ntions performance of the applications performance of the application	nrmed in each able column DCr+3 hromium electrify the eminimg total chall my	h affected a(s) below CrA cetroplating assion limitat romium/dscr owable surfa	Identify the coneach affected application Add-on Control Device or anodizing facilities associated with m, (2) mg total characteristics and mg/h	tank by checkable column(s) Fume Suppressant Ey. a each emission romium/hr, or ever is applicable	cing (X) the below Combination of both point in either (3) maximum le dynes/cm
-,	Affected Tanks Tank # Tank # Tank # Tank # Identify the control of the control	Identity tank by HCr - OT Identity tanks (that ar each Tanks # Tanks # Tanks #	of the opera checking (X HCr - ET emission point if y the affect listed in Iter re connected emission point if y the emission is y the emission point if y the emission is y the emission in y the emission in y the emission is y the emission in y the emission is y the emi	ntions perform the applications perform the application of the applica	nrmed in each able column DCr+3 hromium electrify the eminimg total chall my	h affected a(s) below CrA cetroplating assion limitat romium/dscr owable surfa g / dscm g / dscm g / dscm g / dscm	Identify the coneach affected applicated Add-on Control Device or anodizing facilities associated with m, (2) mg total characteristics, whiches mg/h	tank by checkable column(s) Fume Suppressant Ey. a each emission romium/hr, or ever is applicable r	point in either (3) maximum dynes/cm dynes/cm dynes/cm

Regulation 1138 – Section 6

Emission Standards for Chromium Emissions from Hard and Decorative Chromium Electroplating and Chromium Anodizing Tanks

[8] Provide a description of the air pollution control technology used for each emission point identified in Item 7.

Chromium Emission (EP) Points							
EP#	Provide brief description of control technique:						
	List operating parameters to be monitored	Compliant operating value or range of values					
	•						
	•						
	•						
EP#	Provide brief description of control technique:						
	List operating parameters to be monitored	Compliant operating value or range of values					
	•						
	•						
EP#	D. '1.1.' C1' d' C						
Er#	Provide brief description of control technique:						
	List operating parameters to be monitored	Compliant operating value or range of values					
	•						
EP#	Provide brief description of control technique:	•					
	List operating parameters to be monitored	Compliant operating value or range of values					
	•	1 1 5 5					
	•						
	•						

Regulation 1138 – Section 6

Emission Standards for Chromium Emissions from Hard and Decorative Chromium Electroplating and Chromium Anodizing Tanks

Name of the facil	lity:
	checking (X) the applicable box as to whether the owner or operator will be using the methods in Section 6 to
	continued compliance.
	Yes, Section 6 methods will be used No, alternative methods were approved for use
	1 es, section o methods win be used No, alternative methods were approved for use
	r or operator checked "No", describe those methods that will be used for determining continuing compliance
	nission point, including a description of the monitoring requirements, the reporting requirements, and the test
methods.	
Chromium	
Emission	Description of monitoring requirements, the reporting requirements,
(EP)	and the test methods that will be used to determine continuing compliance
Points	
EP#	
EP#	
EP#	
EP#	
Er#	
EP#	

Regulation 1138 – Section 6

	Emis		rds for Chrom n Electroplatin					
[10]	September 19, 2009?							
	Yes , after 9/19	9/09		or on 9/19/09	below	No, affected	l tank is exempt	from testing
[11]	If "Yes" is checked in Item 10 above, the owner or operator shall answer the questions below. If "No" is checked in Item 10, the owner or operator skips Item 11 and proceeds to Item 12.							
							Check (X), a	s appropriate
	Indicate with a ch					ns.	Yes	<u>No</u>
	Was the previous p			<u> </u>				
	Have any changes be since the date of the			r the air pollution	control te	echnology		
	Were the operating	conditions dur	ing the previous pe					
	Did the test method							
	the requirements of	6.5.3 and 3.7 c	of Regulation 1138	3?				
	Was the data used t							
	parameters, as specified in 6.4.3 of Regulation 1138, recorded during the previous performance test?							
[12]	housekeeping procedures, as required in 6.3.6 of Regulation 1138 by checking (X) the appropriate box below.							
			complete and file				was not comple	
[13]	The owner or operator shall certify compliance with Section 6 of Regulation 1138 by checking (X) the box of the following compliance statement, if appropriate.							
	I, the owner or operator, certify that the source has complied with all applicable requirements of Section 6 of Regulation 1138.							
	If the owner or operator cannot certify compliance with all applicable requirements of Section 6 of Regulation 1138 above, the owner or operator must provide the information needed in Item 16 on Page 5.							
[14]	I certify that all th	e statements a	nd information c	ontained in this	notificati	on are true, ac	ccurate, and cor	nplete.
	Printed Name:							
	Title/Position:				Tel	ephone No:		
	Email Address:							
	Signature:					Date : _		
[15]	ATTACH the fo	llowing to t	his "Notification	on of Complia	nce Sta	tus" form, i	f required.	
	(1) The perfor	mance test 1	esults, if a per	formance tes	t was re	quired.		
	(2) The record	ls that demo	nstrate that th	e facility mee	ets the "s	small" desig	nation, see It	em 5.
	(3) The compliance demonstration measurements and calculations as required in 6.5.5.5, if the special compliance provisions of 6.5.5 are used.							

Regulation 1138 - Section 6

Emission Standards for Chromium Emissions from Hard and Decorative Chromium Electroplating and Chromium Anodizing Tanks

Name	of	the	faci	lity:
------	----	-----	------	-------

[16] If the owner or operator did not certify initial compliance with all applicable requirements of Section 6 in Item 13, provide a complete explanation of the noncompliance, a description of the corrective actions being taken to achieve compliance, and the expected date for achieving compliant operation.

[17] The owner or operator must submit this "Notification of Compliance Status" form with attachments to the following agencies by the submittal date provided on page 1 of this form. Remember to keep a copy of this notification.

Delaware Department of Natural Resources and Environmental Control Director of Air Quality Blue Hen Corporate Mall 655 S. Bay Road, Suite 5N Dover, DE 19901

U. S. Environmental Protection Agency Director, Air Protection Division 1650 Arch Street Philadelphia, PA 19103